

## CLAIMS

What is claimed is:

- 1 1. An extensible rule-based technique for optimizing predicated code,  
2 comprising:  
3 if-converting an abstract internal representation; and  
4 mapping the if-conversion to a machine representation.
- 1 2. The technique of claim 1, further comprising:  
2 eliminating predicates from the mapped if-conversion.
- 1 3. The technique of claim 1, the eliminating of predicates comprising:  
2 eliminating a predicate defining instruction by interpretation.
- 1 4. The technique of claim 1, the eliminating of predicates comprising:  
2 eliminating a guarding predicate of a safe instruction by speculation.
- 1 5. The technique of claim 1, the eliminating of predicates comprising:  
2 eliminating a guarding predicate of an unsafe instruction by  
3 compensation.
- 1 6. The technique of claim 1, the eliminating of predicates comprising:  
2 eliminating a guarding predicate of an unsuitable instruction by  
3 reverse if-conversion.
- 1 7. The technique of claim 1, further comprising:  
2 optimizing the machine representation.

- 1 13. The apparatus of claim 10, the eliminating of predicates comprising:  
2 means for eliminating a guarding predicate of a safe instruction by  
3 speculation.
- 1 14. The apparatus of claim 10, the eliminating of predicates comprising:  
2 means for eliminating a guarding predicate of an unsafe instruction  
3 by compensation.
- 1 15. The apparatus of claim 10, the eliminating of predicates comprising:  
2 means for eliminating a guarding predicate of an unsuitable  
3 instruction by reverse if-conversion.
- 1 16. The apparatus of claim 10, further comprising:  
2 means for optimizing the machine representation.
- 1 17. An extensible rule-based technique for optimizing predicated code,  
2 comprising:  
3 if-converting an abstract internal representation;  
4 mapping the if-conversion to a machine representation;  
5 eliminating predicates from the mapped if-conversion,  
6 wherein the eliminating of predicates, comprises  
7 eliminating a predicate defining instruction by interpretation;  
8 eliminating a guarding predicate of a safe instruction by  
9 speculation;  
10 eliminating a guarding predicate of an unsafe instruction by  
11 compensation;

1 8. An extensible rule-based system for optimizing predicate code, comprising:  
2 a processor for executing instructions; and  
3 an instruction for  
4 defining predicates;  
5 testing a branch instruction; and  
6 assigning a defined predicate to the branch instruction based  
7 on a result of the test.

1 9. An extensible rule-based method for optimizing predicate code,  
2 comprising:  
3 defining a predicate;  
4 testing a branch instruction; and  
5 selectively assigning the defined predicate to the branch instruction  
6 based on a result of the test.

1 10. An apparatus for optimizing predicate code, comprising:  
2 means for if-converting an abstract internal representation; and  
3 means for mapping the if-conversion to machine representation.

1 11. The apparatus of claim 10, further comprising:  
2 means for eliminating predicates from the mapped if-conversion.

1 12. The apparatus of claim 10, the eliminating of predicates comprising:  
2 means for eliminating a predicate defining instruction by  
3 interpretation.

12 eliminating a guarding predicate of an unsuitable instruction  
13 by reverse if-conversion; and  
14 optimizing the machine representation.

1 18. A technique of supporting predicated execution without explicit predicate  
2 hardware, comprising implementing a test branch instruction.

1 19. The technique of claim 18, wherein the test branch instruction converts a  
2 branching condition based on condition codes to Boolean data in a general  
3 register so that a full logical instruction set can be used to produce optimal  
4 code.

1 20. A system of supporting predicated execution without explicit predicate  
2 hardware, comprising:  
3 a processor for executing instructions; and  
4 an instruction for  
5 converting a branching condition based on condition codes to  
6 Boolean data in a general register so that a full logical  
7 instruction set produces optimal code; and  
8 guarding a set of instructions unsuitable to speculate  
9 enclosed by a branch.

1 21. A method of supporting predicated execution without explicit predicate  
2 hardware, comprising implementing a test branch instruction.

1 22. The method of claim 22, wherein the test branch instruction converts a  
2 branching condition based on condition codes to Boolean data in a general

3 register so that a full logical instruction set can be used to produce optimal  
4 code.

- 1 23. An apparatus of supporting predicated execution without explicit predicate  
2 hardware, comprising:  
3 means for implementing a test branch instruction; and  
4 means for eliminating predicates using the implemented test branch  
5 instruction.